INDEX TO AUTHORS

ADDIS, T., BARRETT, EVALYN, BOYD, ROBERT I., and UREEN, HELEN J. Renin proteinuria in the rat. I. The relation between the proteinuria and the pressor effect of renin, 131

AUSTRIAN, ROBERT, and MACLEOD, COLIN M. Acquisition of M protein by pneumococci through transformation reactions, 451

— and —. A type-specific protein from pneumococcus, 439

BAER, HAROLD. See KABAT, BAER, and KNAUB, 1

BAKER, EDGAR E., GOEBEL, WALTHER F., and PERLMAN, ELY. The specific antigens of variants of *Shigella sonnei*, 325

BANG, F. B. Cell blockade in Newcastle disease of chickens and chicken embryos, 141

BARRETT, EVALYN. See ADDIS, BARRETT, BOYD, and UREEN, 131

BAXTER, JAMES H., and COTZIAS, GEORGE C. Effects of proteinuria on the kidney. Proteinuria, renal enlargement, and renal injury consequent on protracted parenteral administration of protein solutions in rats, 643

BEZER, ADA E. See KABAT, WOLF, and BEZER, 395

BOVARNICK, MARIANNA R., and SNYDER, JOHN C. Respiration of typhus rickettsiae, 561

BOYD, ROBERT I. See ADDIS, BARRETT, BOYD, and UREEN, 131

BUEDING, ERNEST. Studies on the metabolism of the filarial worm, *Litomosoides carinii*, 107

CASTILLO, CARLOS G. See NEILL, CASTILLO, SMITH, and KAPROS, 93

CLAUDE, ALBERT. Electron microscope studies of cells by the method of replicas, 425

—. See PALAY and CLAUDE, 431

CORDDRY, ELIZABETH I. See LEFTWICH and MIRICK, 155

—. See MIRICK and LEFTWICH, 175

COTZIAS, GEORGE C. See BAXTER and COTZIAS, 643

DALLDORF, GILBERT, SICKLES, GRACE M., PLAGER, HILDEGARD, and GIFFORD, REBECCA. A virus recovered from the feces of "poliomyelitis" patients pathogenic for suckling mice, 567

DIESENDRUCK, JUDITH A. See NELSON and MAYER, 369

DUFF, G. LYMAN, and MCMILLAN, GARDNER C. The effect of alloxan diabetes on experimental cholesterol atherosclerosis in the rabbit. I. The inhibition of experimental cholesterol atherosclerosis in alloxan diabetes. II. The effect of alloxan diabetes on the retrogression of experimental cholesterol atherosclerosis, 611

EAGAN, JOHN T. See NELSON and MAYER, 369

EHRICH, W. E., SEIFTER, JOSEPH, and FORMAN, CAROLYN. Experimental serum disease. A pathogenic study, 23

FISCHEL, EDWARD E., and PAULI, RUTH H. Serological studies in rheumatic fever. I. The "phase"

reaction and the detection of autoantibodies in the rheumatic state, 669

FORMAN, CAROLYN. See EHRICH, SEIFTER, and FORMAN, 23

FOX, JOHN P. See RIS and FOX, 681

FRIEDMAN, CONSTANCE L. See FRIEDMAN and FRIEDMAN, 631

FRIEDMAN, SYDNEY M., and FRIEDMAN, CONSTANCE L. Observations on the rôle of the rat kidney in hypertension caused by desoxycorticosterone acetate, 631

GIFFORD, REBECCA. See DALLDORF, SICKLES, PLAGER, and GIFFORD, 567

GINSBERG, HAROLD S., and HORSFALL, FRANK L., JR. Concurrent infection with influenza virus and mumps virus or pneumonia virus of mice (PVM) as bearing on the inhibition of virus multiplication by bacterial polysaccharides, 37

GOEBEL, WALTHER F., and PERLMANN, GERTRUDE E. The effect of lithium periodate on crystalline bovine serum albumin, 479

GOEBEL, WALTHER F. See BAKER, GOEBEL, and PERLMAN, 325

GOLDBLATT, HARRY. See GYÖRGY and GOLDBLATT, 245

GROSS, JEROME. The structure of elastic tissue as studied with the electron microscope, 699

GYÖRGY, PAUL, and GOLDBLATT, HARRY. Further observations on the production and prevention of dietary hepatic injury in rats, 245

HAMLIN, ALICE. See HARFORD, LEIDLER, and HARA, 53

HARA, MARY. See HARFORD, LEIDLER, and HARA, 53

HARFORD, CARL G., LEIDLER, VIRGINIA, and HARA, MARY. Effect of the lesion due to influenza virus on the resistance of mice to inhaled pneumococci, 53

HENLE, WERNER, and ROSENBERG, EVELYN B. One-step growth curves of various strains of influenza A and B viruses and their inhibition by inactivated virus of the homologous type, 279

HEPPLESTON, A. G. Quantitative airborne tuberculosis in the rabbit. The course of human type infection, 597

HIRST, GEORGE K. The nature of the virus receptors of red cells. III. Partial purification of the virus agglutination inhibitor in human plasma, 223

—. IV. Effect of sodium periodate on the elution of influenza virus from red cells, 233

HORSFALL, FRANK L., JR. See GINSBERG and HORSFALL, 37

KABAT, ELVIN A., BAER, HAROLD, and KNAUB, VESTA. Immunochemical studies on blood groups. IX. Specific precipitation of the fucose of hog and human blood group A substances by anti-A, 1

—, WOLF, ABNER, and BEZER, ADA E. Studies on acute disseminated encephalomyelitis produced experimentally in *rhesus* monkeys. IV. Disseminated encephalomyelitis produced in monkeys with their own brain tissue, 395

KAPROS, CHARLES E. See NEILL, CASTILLO, SMITH, and KAPROS, 93

KNAUB, VESTA. See KABAT, BAER, and KNAUB, 1

KNOWLTON, ABBIE I. See LOEB, KNOWLTON, STOERK, and SEEGAL, 287

KOBERNICK, SIDNEY D. See MORE, WAUGH, and KOBERNICK, 555
KRUSE, HEINZ. See MCMASTER and KRUSE, 583

LEFTWICH, WILLIAM B., and MIRICK, GEORGE S. The effect of diet on the susceptibility of the mouse to pneumonia virus of mice (PVM). I. Influence of pyridoxine in the period after the inoculation of virus, 155
—. See MIRICK and LEFTWICH, 175
LEIDLER, VIRGINIA. See HARFORD, LEIDLER, and HARA, 53
LOEB, EMILY N., KNOWLTON, ABBIE I., STOERK, HERBERT C., and SEEGAL, BEATRICE C. Observations on the pregnant rat injected with nephrotoxic rabbit anti-rat placenta serum and desoxycorticosterone acetate, 287
LUCKÉ, BALDUIN, and SCHLUMBERGER, HANS. Induction of metastasis of frog carcinoma by increase of environmental temperature, 269

MACLEOD, COLIN M. See AUSTRIAN and MACLEOD, 439, 451
MAYER, MANFRED M. See NELSON and MAYER, 369
MCMASTER, PHILIP D., and KRUSE, HEINZ. Peripheral vascular reactions in anaphylaxis of the mouse, 583
MCMILLAN, GARDNER C. See DUFF and MCMILLAN, 611
MIRICK, GEORGE S., and LEFTWICH, WILLIAM B. The effect of diet on the susceptibility of the mouse to pneumonia virus of mice (PVM). II. Influence of pyridoxine administered in the period before as well as after the inoculation of virus, 175
—. See LEFTWICH and MIRICK, 155
MORE, ROBERT H., and WAUGH, DOUGLAS. Diffuse glomerulonephritis produced in rabbits by massive injections of bovine serum gamma globulin, 541
—, —, and KOBERNICK, SIDNEY D. Cardiac lesions produced in rabbits by massive injections of bovine serum gamma globulin, 555
MURPHY, GEORGE E., and SWIFT, HOMER F. Induction of cardiac lesions, closely resembling those of rheumatic fever, in rabbits following repeated skin infections with group A streptococci, 687

NEILL, JAMES M., CASTILLO, CARLOS G., SMITH, ROBERT H., and KAPROS, CHARLES E. Capsular reactions and soluble antigens of *Torula histolytica* and of *Sporotrichum schenckii*, 93
NELSON, ROBERT A., JR., and MAYER, MANFRED M. Immobilization of *Treponema pallidum in vitro* by antibody produced in syphilitic infection, 369

OPIE, EUGENE L. The movement of water in tissues removed from the body and its relation to movement of water during life, 185
—. The movement of water in tumor tissue removed from the body, 209

PALAY, SANFORD L., and CLAUDE, ALBERT. An electron microscope study of salivary gland chromosomes by the replica method, 431
PAPPENHEIMER, ALWIN M. See RUSTIGIAN and PAPPENHEIMER, 69
PAULI, RUTH H. See FISCHEL and PAULI, 669
PERLMAN, ELY. See BAKER, GOEBEL, and PERLMAN, 325
PERLMANN, GERTRUDE E. See GOEBEL and PERLMANN, 479

PLAGER, HILDEGARD. See DALLDORF, SICKLES, PLAGER, and GIFFORD, 567

RIS, HANS, and FOX, JOHN P. The cytology of rickettsiae, 681

ROBSCHEIT-ROBBINS, F. S., and WHIPPLE, G. H. Dietary effects on anemia plus hypoproteinemia in dogs. I. Some proteins further the production of hemoglobin and others plasma protein production, 339

— and —. II. The findings with milk products, wheat, and peanut flours as compared with liver, 359

ROSENBERG, EVELYN B. See HENLE and ROSENBERG, 279

RUSTIGIAN, ROBERT, and PAPPENHEIMER, ALWIN M. Myositis in mice following intramuscular injection of viruses of the mouse encephalomyelitis group and of certain other neurotropic viruses, 69

SCHLESINGER, R. WALTER. The mechanism of active cerebral immunity to equine encephalomyelitis virus. I. Influence of the rate of viral multiplication, 491

—. II. The local antigenic booster effect of the challenge inoculum, 507

SCHLUMBERGER, HANS. See LUCKÉ and SCHLUMBERGER, 269

SCHNEIDER, HOWARD A. Nutrition of the host and natural resistance to infection. IV. The capability of the double strain inoculation test to reveal genetically determined differences in natural resistance to infection, 529

SEEGAL, BEATRICE C. See LOEB, KNOWLTON, STOERK, and SEEGAL, 287

SEIFTER, JOSEPH. See EHRICH, SEIFTER, and FORMAN, 23

SICKLES, GRACE M. See DALLDORF, SICKLES, PLAGER, and GIFFORD, 567

SMITH, ROBERT H. See NEILL, CASTILLO, SMITH, and KAPROS, 93

SNYDER, JOHN C. See BOVARNICK and SNYDER, 561

STETSON, CHANDLER A. See THOMAS and STETSON, 461

STOERK, HERBERT C. See LOEB, KNOWLTON, STOERK, and SEEGAL, 287

SWIFT, HOMER F. See MURPHY and SWIFT, 687

TAYLOR, HARRIETT E. Additive effects of certain transforming agents from some variants of pneumococcus, 399

THOMAS, LEWIS, and STETSON, CHANDLER A. Studies on the mechanism of the Shwartzman phenomenon, 461

TODD, EDGAR W. Quantitative studies on the total plasmin and the trypsin inhibitor of human blood serum. I. Methods for the titration of total plasmin and of trypsin inhibitor, 295

—. II. Variations in the blood concentration of total plasmin and of trypsin inhibitor in streptococcal diseases with special reference to rheumatic fever, 309

UREEN, HELEN J. See ADDIS, BARRETT, BOYD, and UREEN, 131

WAUGH, DOUGLAS. See MORE and WAUGH, 541

—. See MORE, WAUGH, and KOBERNICK, 555

WHIPPLE, G. H. See ROBSCHEIT-ROBBINS and WHIPPLE, 339, 359

WOLF, ABNER. See KABAT, WOLF, and BEZER, 395

WOOLLEY, D. W. Purification of an influenza virus substrate, and demonstration of its competitive antagonism to apple pectin, 11

INDEX TO SUBJECTS

AGGLUTINATION inhibitor, virus, in human plasma, partial purification, 223
Air-borne tuberculosis, quantitative, in rabbit, course of human type infection, 597
Albumin, bovine serum, crystalline, effect of lithium periodate, 479
Alloxan diabetes, effect on retrogression of cholesterol atherosclerosis in rabbit, 611
— diabetes, inhibition of cholesterol atherosclerosis in rabbit, 611
Anaphylaxis of mouse, peripheral vascular reactions in, 583
Anemia plus hypoproteinemia in dogs, dietary effects, findings with milk products, wheat, and peanut flours as compared with liver, 359
— plus hypoproteinemia in dogs, dietary effects, some proteins further production of hemoglobin and others plasma protein production, 339
Antibody produced in syphilitic infection, immobilization of *Treponema pallidum in vitro* by, 369
Antigenic booster effect, local, of challenge inoculum, mechanism of active cerebral immunity to equine encephalomyelitis virus, 507
Antigens, soluble, and capsular reactions of *Torula histolytica* and of *Sporotrichum schenckii*, 93
—, specific, of *Shigella sonnei* variants, 325
Apple pectin, purification of influenza virus substrate and demonstration of competitive antagonism to, 11
Atherosclerosis, cholesterol, in rabbit, inhibition in alloxan diabetes, 611
—, cholesterol, in rabbit, retrogression, effect of alloxan diabetes, 611
Autoantibodies, detection in rheumatic state and phase reaction, 669

BACTERIAL polysaccharides, concurrent infection with influenza virus and mumps virus or pneumonia virus of mice as bearing on inhibition of virus multiplication by, 37
Blood corpuscles, red. *See* Erythrocytes.
— group A substances, human, and hog fucose, specific precipitation by anti-A, 1
— serum, human, total plasmin and trypsin inhibitor, methods for titration, 295
— serum, human, total plasmin and trypsin inhibitor, variations in blood concentration in streptococcal diseases with special reference to rheumatic fever, 309
Brain tissue from *rhesus* monkeys inducing acute disseminated encephalomyelitis, 395

CANCER, frog, induction of metastasis by increase of environmental temperature, 269
Capsular reactions and soluble antigens of *Torula histolytica* and of *Sporotrichum schenckii*, 93
Carcinoma. *See* Cancer.
Cardiac. *See* Heart.
Cattle serum albumin, crystalline, effect of lithium periodate, 479
— serum gamma globulin, massive injections, cardiac lesions produced in rabbits by, 555
— serum gamma globulin, massive injections, diffuse glomerulonephritis produced in rabbits by, 541
Cell blockade in Newcastle disease of chickens and chicken embryos, 141

Cells, blood, red. *See* Erythrocytes.
—, electron microscope study by replica method, 425
Cerebral immunity, active, to equine encephalomyelitis virus, mechanism, influence of viral multiplication rate, 491
— immunity, active, to equine encephalomyelitis virus, mechanism, local antigenic booster effect of challenge inoculum, 507
Chemistry, immuno-, of blood groups, specific precipitation of hog fucose and human blood group A substances by anti-A, 1
Cholesterol atherosclerosis in rabbit, inhibition in alloxan diabetes, 611
— atherosclerosis in rabbit, retrogression, effect of alloxan diabetes, 611
Chromosomes, salivary gland, electron microscope study by replica method, 431
Corpuscles, blood, red. *See* Erythrocytes.
Cytology of rickettsiae, 681

DESOXYCORTICOSTERONE acetate and nephrotoxic rabbit anti-rat placenta serum, injection of pregnant rat with, 287
— acetate, rôle of rat kidney in hypertension caused by, 631
Diabetes, alloxan, effect on retrogression of cholesterol atherosclerosis in rabbit, 611
—, alloxan, inhibition of cholesterol atherosclerosis in rabbit, 611
Diet, effect on susceptibility of mouse to pneumonia virus of mice, influence of pyridoxine administered in period before as well as after inoculation of virus, 175
—, effect on susceptibility of mouse to pneumonia virus of mice, influence of pyridoxine in period after inoculation of virus, 155
—, hepatic injury in rats, production and prevention, 245
Dietary effects on anemia plus hypoproteinemia in dogs, findings with milk products, wheat, and peanut flours as compared with liver, 359
— effects on anemia plus hypoproteinemia in dogs, some proteins further production of hemoglobin and others plasma protein production, 339
Disease, Newcastle. *See* Newcastle disease.
—, serum. *See* Serum disease.
Diseases, streptococcal, variations in blood concentration of total plasmin and of trypsin inhibitor, with special reference to rheumatic fever, 309

ELASTIC tissue, structure as studied with electron microscope, 699
Electron microscope, structure of elastic tissue as studied with, 699
— microscope study of cells by replica method, 425
— microscope study of salivary gland chromosomes by replica method, 431
Embryos, chicken, Newcastle disease, cell blockade in, 141
Encephalomyelitis, acute disseminated, produced in *rhesus* monkeys with their own brain tissue, 395
— group viruses, mouse, and other neurotropic viruses, myositis in mice following intramuscular injection, 69
— virus, equine, mechanism of active cerebral immunity, influence of viral multiplication rate, 491
— virus, equine, mechanism of active cerebral immunity, local antigenic booster effect of challenge inoculum, 507
Erythrocytes, virus receptors, effect of sodium periodate on elution of influenza virus from, 233

Erythrocytes, virus receptors, partial purification of virus agglutination inhibitor in human plasma, 223

FECES from poliomyelitis-like disease, virus pathogenic for suckling mice recovered from, 567
Fever, rheumatic. *See* Rheumatic fever.
Filarial worm, *Litomosoides carinii*, metabolism, 107
Flours, peanut, milk products, and wheat, findings in anemia plus hypoproteinemia in dogs, as compared with liver, 359
Fowl, Newcastle disease, cell blockade in, 141
Fucose of hog and human blood group A substances, specific precipitation by anti-A, 1

GENETICALLY determined differences in natural resistance to infection, capability of double strain inoculation test to reveal, 529
Gland chromosomes, salivary, electron microscope study by replica method, 431
Globulin, bovine serum gamma, massive injections, cardiac lesions produced in rabbits by, 555
—, bovine serum gamma, massive injections, diffuse glomerulonephritis produced in rabbits by, 541
Glomerulonephritis, diffuse, produced in rabbits by massive injections of bovine serum gamma globulin, 541
Growth curves, one-step, of influenza A and B viruses, and inhibition by inactivated homologous virus, 279

HEART lesions produced in rabbits by massive injections of bovine serum gamma globulin, 555
— lesions, rheumatic fever-like, induced in rabbits following repeated skin infections with group A streptococci, 687
Hemoglobin production furthered by some proteins, 339
Horse encephalomyelitis virus, mechanism of active cerebral immunity, influence of viral multiplication rate, 491
— encephalomyelitis virus, mechanism of active cerebral immunity, local antigenic booster effect of challenge inoculum, 507
Hypertension caused by desoxycorticosterone acetate, rôle of rat kidney in, 631
Hypoproteinemia and anemia in dogs, dietary effects, findings with milk products, wheat, and peanut flours as compared with liver, 359
— and anemia in dogs, dietary effects, some proteins further production of hemoglobin and others plasma protein production, 339

IMMUNITY, cerebral, active, to equine encephalomyelitis virus, mechanism, influence of viral multiplication rate, 491
—, cerebral, active, to equine encephalomyelitis virus, mechanism, local antigenic booster effect of challenge inoculum, 507
Immunochemistry, blood groups, specific precipitation of hog fucose and human blood group A substances by anti-A, 1
Influenza A and B viruses, one-step growth curves, and inhibition by inactivated homologous virus, 279
— virus, effect of lesion on resistance of mice to inhaled pneumococci, 53
— virus, effect of sodium periodate on elution from red cells, 233
— virus and mumps virus or pneumonia virus of mice, concurrent infection as bearing on inhibition of virus multiplication by bacterial polysaccharides, 37
— virus substrate, purification and

demonstration of competitive antagonism to apple pectin, 11
Injection, intramuscular, of viruses of mouse encephalomyelitis group and of other neurotropic viruses, myositis in mice following, 69
— of pregnant rat with nephrotoxic rabbit anti-rat placenta serum and desoxycorticosterone acetate, 287
Injections, massive, of bovine serum gamma globulin, cardiac lesions produced in rabbits by, 555
—, massive, of bovine serum gamma globulin, diffuse glomerulonephritis produced in rabbits by, 541
Inoculation, challenge, local antigenic booster effect in active cerebral immunity to equine encephalomyelitis virus, 507
— of pneumonia virus of mice, influence of pyridoxine on susceptibility of mouse, administered in period before as well as after inoculation of virus, 175
— of pneumonia virus of mice, influence of pyridoxine on susceptibility of mouse in period after, 155
— test, double strain, capability to reveal genetically determined differences in natural resistance to infection, 529

KIDNEY enlargement, proteinuria, and renal injury consequent on protracted parenteral administration of protein solutions in rats, 643
—, rat, rôle in hypertension caused by desoxycorticosterone acetate, 631

LESION due to influenza virus, effect on resistance of mice to inhaled pneumococci, 53
Lesions, cardiac, produced in rabbits by massive injections of bovine serum gamma globulin, 555
—, cardiac, rheumatic fever-like, induced in rabbits following repeated skin infections with group A streptococci, 687
Lithium periodate, effect on crystalline bovine serum albumin, 479
Litomosoides carinii, metabolism, 107
Liver, findings in anemia plus hypoproteinemia in dogs, with milk products, wheat, and peanut flours as compared with, 359
— injury in rats, dietary, production and prevention, 245

MAN, blood group A substances and hog fucose, specific precipitation by anti-A, 1
—, blood serum, total plasmin and trypsin inhibitor, methods for titration, 295
—, blood serum, total plasmin and trypsin inhibitor, variations in blood concentration in streptococcal diseases with special reference to rheumatic fever, 309
—, plasma, partial purification of virus agglutination inhibitor in, 223
—, tuberculosis, course of air-borne infection in rabbits, 597
Metabolism of filarial worm, *Litomosoides carinii*, 107
Metastasis of frog carcinoma, induction by increase of environmental temperature, 269
Microscope, electron, structure of elastic tissue as studied with, 699
— study, electron, of cells, by replica method, 425
— study, electron, of salivary gland chromosomes by replica method, 431
Milk products, wheat, and peanut flours, findings in anemia plus hypoproteinemia in dogs, as compared with liver, 359
Mouse pneumonia virus, effect of diet on susceptibility, influence of pyridoxine administered in period before as well as after inoculation of virus, 175

Mouse pneumonia virus, effect of diet on susceptibility, influence of pyridoxine in period after inoculation of virus, 155
— pneumonia virus or mumps virus and influenza virus, concurrent infection as bearing on inhibition of virus multiplication by bacterial polysaccharides, 37
Mumps virus or pneumonia virus of mice and influenza virus, concurrent infection as bearing on inhibition of virus multiplication by bacterial polysaccharides, 37
Myositis in mice following intramuscular injection of virus of mouse encephalomyelitis group and of other neurotropic viruses, 69

NEPHROTOXIC rabbit anti-rat placenta serum and desoxycorticosterone acetate, injection of pregnant rat with, 287
Neurotropic viruses and viruses of mouse encephalomyelitis group, myositis in mice following intramuscular injection, 69
Newcastle disease of chickens and chicken embryos, cell blockade in, 141
Nutrition, host, and natural resistance to infection, capability of double strain inoculation test to reveal genetically determined differences in natural resistance to infection, 529

PATHOGENETIC study of serum disease, 23
Pathogenicity of virus from feces of poliomyelitis-like disease for suckling mice, 567
Peanut flours, milk products, and wheat, findings in anemia plus hypoproteinemia in dogs, as compared with liver, 359
Pectin, apple, purification of influenza virus substrate and demonstration of competitive antagonism to, 11
Placenta serum, nephrotoxic rabbit anti-rat and desoxycorticosterone acetate, injection of pregnant rat with, 287
Plasma, human, partial purification of virus agglutination inhibitor in, 223
— protein production furthered by proteins, 339
Plasmin, total, and trypsin inhibitor of human blood serum, methods for titration, 295
—, total, and trypsin inhibitor of human blood serum, variations in blood concentration in streptococcal diseases with special reference to rheumatic fever, 309
Pneumococci, acquisition of M protein through transformation reactions, 451
—, inhaled, effect of lesion due to influenza virus on resistance of mice to, 53
Pneumococcus, type-specific protein from, 439
—, variants, additive effects of certain transforming agents from, 399
Pneumonia virus of mice, effect of diet on mouse susceptibility, influence of pyridoxine administered in period before as well as after inoculation of virus, 175
— virus of mice, effect of diet on mouse susceptibility, influence of pyridoxine in period after inoculation of virus, 155
— virus of mice or mumps virus and influenza virus, concurrent infection as bearing on inhibition of virus multiplication by bacterial polysaccharides, 37
Poliomyelitis-like disease, feces, virus pathogenic for suckling mice recovered from, 567
Polysaccharides, bacterial, concurrent infection with influenza virus and mumps virus or pneumonia virus of mice as bearing on inhibition of virus multiplication by, 37

Precipitation, specific, of hog fucose and human blood group A substances by anti-A, 1
Pregnant rat injected with nephrotoxic rabbit anti-rat placenta serum and desoxycorticosterone acetate, 287
Pressor effect of renin, relation to proteinuria in rat, 131
Protein, M, acquisition by pneumococci through transformation reactions, 451
— production, plasma, production furthered by proteins, 339
— solutions in rats, protracted parenteral administration, proteinuria, renal enlargement, and renal injury consequent on, 643
—, type-specific, from pneumococcus, 439
Proteinuria, renal enlargement, and renal injury consequent on protracted parenteral administration of protein solutions in rats, 643
—, renin, in rat, relation to pressor effect of renin, 131
Pyridoxine, influence on susceptibility of mouse to pneumonia virus of mice, administered in period before as well as after inoculation of virus, 175
—, influence on susceptibility of mouse to pneumonia virus of mice in period after inoculation of virus, 155

REACTIONS, capsular, and soluble antigens of *Torula histolytica* and of *Sporotrichum schenckii*, 93
Renal. *See* Kidney.
Renin proteinuria in rat, relation to pressor effect of renin, 131
Resistance, natural, to infection, and host nutrition, capability of double strain inoculation test to reveal genetically determined differences in, 529
— of mice to inhaled pneumococci, effect of lesion due to influenza virus on, 53
Respiration of typhus rickettsiae, 561
Rheumatic fever, serological studies, phase reaction and detection of autoantibodies in rheumatic state, 669
— fever, variations in blood concentration of total plasmin and of trypsin inhibitor, 309
— fever-like cardiac lesions induced in rabbits following repeated skin infections with group A streptococci, 687
Rickettsiae, cytology, 681
—, typhus, respiration, 561

SALIVARY gland chromosomes, electron microscope study by replica method, 431
Serological studies in rheumatic fever, phase reaction and detection of autoantibodies in rheumatic state, 669
Serum albumin, bovine, crystalline, effect of lithium periodate, 479
—, blood, human, total plasmin and trypsin inhibitor, methods for titration, 295
—, blood, human, total plasmin and trypsin inhibitor, variations in blood concentration in streptococcal diseases with special reference to rheumatic fever, 309
— disease, pathogenetic study, 23
— gamma globulin, bovine, massive injections, cardiac lesions produced in rabbits by, 555
— gamma globulin, bovine, massive injections, diffuse glomerulonephritis produced in rabbits by, 541
—, placenta, nephrotoxic rabbit anti-rat and desoxycorticosterone acetate, injection of pregnant rat with, 287
Shigella sonnei, variants, specific antigens, 325
Shwartzman phenomenon, mechanism, 461
Skin infections, repeated, with group A streptococci, induction of rheu-

matic fever-like cardiac lesions in rabbits following, 687
Sodium periodate, effect on elution of influenza virus from red cells, 233
Specific antigens of *Shigella sonnei* variants, 325
— precipitation of hog fucose and human blood group A substances by anti-A, 1
—, type-, protein from pneumococcus, 439
Sporotrichum schenckii and *Torula histolytica*, capsular reactions and soluble antigens, 93
Streptococcal diseases, variations in blood concentration of total plasmin and of trypsin inhibitor in, with special reference to rheumatic fever, 309
Streptococci, group A, repeated skin infections with, induction of rheumatic fever-like cardiac lesions in rabbits following, 687
Susceptibility of mouse to pneumonia virus of mice, effect of diet, influence of pyridoxine administered in period before as well as after inoculation of virus, 175
— of mouse to pneumonia virus of mice, effect of diet, influence of pyridoxine in period after inoculation of virus, 155
Syphilitic infection, immobilization of *Treponema pallidum in vitro* by antibody produced in, 369

TEMPERATURE, environmental, induction of frog carcinoma metastasis by increase of, 269
Tissue, brain, from *rhesus* monkeys inducing acute disseminated encephalomyelitis, 395
—, elastic, structure as studied with electron microscope, 699
—, tumor, removed from body, movement of water in, 209
Tissues, removed from body, movement of water in, relation to movement during life, 185
Titration of total plasmin and of trypsin inhibitor of human blood serum, 295
Torula histolytica and *Sporotrichum schenckii*, capsular reactions and soluble antigens, 93
Treponema pallidum, immobilization *in vitro* by antibody produced in syphilitic infection, 369
Trypsin inhibitor and total plasmin of human blood serum, methods for titration, 295
— inhibitor and total plasmin of human blood serum, variations in blood concentration in streptococcal diseases with special reference to rheumatic fever, 309
Tuberculosis, human, course of airborne infection in rabbits, 597
Tumor tissue removed from body, movement of water in, 209
Typhus rickettsiae, respiration, 561

VASCULAR reactions, peripheral, in anaphylaxis of mouse, 583
Virus, equine encephalomyelitis, mechanism of active cerebral immunity, influence of viral multiplication rate, 491
—, equine encephalomyelitis, mechanism of active cerebral immunity, local antigenic booster effect of challenge inoculum, 507
—, influenza, effect of lesion on resistance of mice to inhaled pneumococci, 53
—, influenza, and mumps virus or pneumonia virus of mice, concurrent infection as bearing on inhibition of virus multiplication by bacterial polysaccharides, 37
—, pneumonia, of mice, effect of diet on mouse susceptibility, influence of pyridoxine administered in period before as well as after inoculation of virus, 175
—, pneumonia, of mice, effect of diet on mouse susceptibility, influence of

pyridoxine in period after inoculation of virus, 155
Virus receptors of red cells, effect of sodium periodate on elution of influenza virus from red cells, 233
— receptors of red cells, partial purification of virus agglutination inhibitor in human plasma, 223
— recovered from feces of poliomyelitis-like disease pathogenic for suckling mice, 567
— substrate, influenza, purification and demonstration of competitive antagonism to apple pectin, 11
Viruses, influenza A and B, one-step growth curves, and inhibition by inactivated homologous virus, 279
Viruses, mouse encephalomyelitis group and other neurotropic viruses, myositis in mice following intramuscular injection, 69

WATER, movement in tissues removed from body, relation to movement during life, 185
—, movement in tumor tissue removed from body, 209
Wheat, milk products, and peanut flours, findings in anemia plus hypoproteinemia in dogs, as compared with liver, 359
Worm, filarial, *Litomosoides carinii*, metabolism, 107